



I · J · M

PRESENTACIÓN GRUPO



Carta de presentación



Estimados:

Es un placer presentarle La IJM, una empresa de experiencia en el sector de la importación y exportación de bienes y servicios. Nos especializamos en ofrecer soluciones integrales y de alta calidad para satisfacer las necesidades de nuestros clientes a nivel global.

Ignacio Rigueiro
Gerente

Datos de la empresa



Denominación: **IJM R&S S.A**

Naturaleza jurídica Sociedad Anónima

Dirección fiscal/principal Santiago del Estero 2574. Mar de Plata, Buenos Aires.

Código postal [principal]7600

Teléfonos 54-223-4951379 54-223-4237014

Dirección fiscal/ secundaria Ruta 51 y San Martín. Olavarría, Buenos Aires.

Código postal 7400

Teléfonos 54-2284-451465 54-2284-650922

email:

ignaciorigueiro@corporationcoba.com

ijm@corporationcoba.com

Datos impositivos de la empresa.

CUIT 30-717074951

Inscripción en el Registro Público de Comercio Número 2.303, Libro 97 tomo "A" de Sociedades Anónimas.

Administración principal:

- Santiago del Estero N° 2574
[7600] Mar del Plata, Buenos Aires, Argentina.
54-223-4951379
54-223-4237014

Administración secundaria:

- Colectora N° 237 y San Martín
[7400] Olavarría, Buenos Aires, Argentina.
54-2284-451465

Historia

La empresa fue fundada en 1956 por el Italo-Norteamericano Juan Costa, quien estableció Costa Trans-Vial como un proveedor fundamental en el transporte de productos primarios para la construcción, como cal, cemento, arena y piedra. Desde sus inicios, Costa Trans-Vial colaboró con importantes empresas constructoras en Argentina, contribuyendo al desarrollo de obras emblemáticas como los diques El Chocón, Futaleufú y Casa de Piedra. En 1980, Juan Costa expandió su visión al fundar **TRANSPORTE COBA S.A.**, dedicada al movimiento de suelos, que se convirtió en un socio de confianza para Cementos Avellaneda S.A. a lo largo de los años. En 1994, la familia Rigueiro adquirió la empresa, impulsando un gran crecimiento y modernización, lo que permitió optimizar la flota y los procesos.

En 2022, con la tercera generación al frente, la empresa experimentó una refundación que condujo a la creación de diversas entidades especializadas. **Najuma R&S S.A.** fue establecida para dedicarse al movimiento de suelos, manteniendo la tradición de excelencia de **TRANSPORTE COBA** y enfocándose en brindar servicios de ingeniería de alta calidad. Simultáneamente, se creó **Mecsol**, uno de los talleres mecánicos más grandes de la región, especializado en el mantenimiento y reparación de maquinaria para minería y vialidad, lo que ha sido vital para garantizar el soporte técnico en el sector. Por otro lado, **IJM** se fundó como importadora y exportadora de servicios y bienes, destacándose en la importación de repuestos para minería y vialidad, con una filial en Estados Unidos que permite ofrecer facilidades de pago y tiempos de importación reducidos.

A lo largo de este proceso de diversificación, la familia Rigueiro ha buscado constantemente expandir su presencia en diferentes sectores. **Costa Trans-Vial** fue refundada para abordar nuevas funciones como desarrolladora inmobiliaria y térmica, junto con la creación de un frigorífico de papa, **Teramal**. Este enfoque estratégico ha garantizado que la empresa no solo continúe su legado en transporte y construcción, sino que también se posicionen en el desarrollo inmobiliario y agroalimentario, asegurando su relevancia y sostenibilidad en el mercado.

I.J.M S.A.

IJM es una empresa creada especialmente para la importación de repuestos en el sector de minería y vialidad. Nuestro objetivo es facilitar el acceso a una amplia gama de productos de alta calidad, asegurando que nuestros clientes cuenten con lo mejor para optimizar sus operaciones.

Con la reciente apertura de nuestra filial en Miami, **IJM R&S LLC**, hemos potenciado nuestras capacidades logísticas, lo que nos permite comprar repuestos en cualquier parte del mundo y recibirlos de manera eficiente en nuestro depósito. Esta expansión estratégica no solo amplía nuestras opciones de abastecimiento, sino que también mejora nuestra capacidad de respuesta y los tiempos de entrega a nuestros clientes.

IJM se compromete a ofrecer un servicio excepcional, garantizando que los productos importados cumplan con los estándares más exigentes de la industria. Nuestra experiencia y Red Global de proveedores nos sitúan como un aliado clave en el suministro de repuestos



Maquinarias retroexcavadora

I · J · M

DEVELON



DX140LC-7K Crawler Excavator

RATED POWER, NET: 107.3 hp @2000 rpm
OPERATING WEIGHT: 31746 lb
DIG DEPTH: 20' 1"



DX140LCR-7 Crawler Excavator

RATED POWER, NET: 100.6 hp @2000 rpm
OPERATING WEIGHT: 34017 lb
DIG DEPTH: 19' 7"



DX170LC-5 Crawler Excavator

RATED POWER, NET: 127.3 hp @2000 rpm
OPERATING WEIGHT: 37037 lb
DIG DEPTH: 19' 11"



DX180LC-5 Crawler Excavator

RATED POWER, NET: 127.3 hp @2000 rpm
OPERATING WEIGHT: 41667 lb
DIG DEPTH: 20' 0"



DX200LC-7 Crawler Excavator

RATED POWER, NET: 138.1 hp @2000 rpm
OPERATING WEIGHT: 50706 lb
DIG DEPTH: 20' 0"



DX225LC-7 Crawler Excavator

RATED POWER, NET: 162.3 hp @1800 rpm
OPERATING WEIGHT: 52018 lb
DIG DEPTH: 21' 7"



DX225LC-7X Crawler Excavator

RATED POWER, NET: 162.3 hp @1800 rpm
OPERATING WEIGHT: 52018 lb
DIG DEPTH: 21' 7"



DX235LCR-7 Crawler Excavator

RATED POWER, NET: 170.3 hp @1900 rpm
OPERATING WEIGHT: 57132 lb
DIG DEPTH: 21' 11"



DX255LC-7 Crawler Excavator

RATED POWER, NET: 185.1 hp @1900 rpm
OPERATING WEIGHT: 59260 lb
DIG DEPTH: 22' 4"



DX300LC-7 Crawler Excavator

RATED POWER, NET: 266.9 hp @1800 rpm
OPERATING WEIGHT: 73413 lb
DIG DEPTH: 23' 11"



DX350LC-7 Crawler Excavator

RATED POWER, NET: 280.3 hp @1800 rpm
OPERATING WEIGHT: 83477 lb
DIG DEPTH: 24' 8"



DX350LCR-7 Crawler Excavator

RATED POWER, NET: 266.9 hp @1800 rpm
OPERATING WEIGHT: 79701 lb
DIG DEPTH: 22' 10"



DX420LC-7 Crawler Excavator

RATED POWER, NET: 344.6 hp @1800 rpm
OPERATING WEIGHT: 94527 lb
DIG DEPTH: 25' 0"



DX490LC-7 Crawler Excavator

RATED POWER, NET: 379.5 hp @1800 rpm
OPERATING WEIGHT: 121676 lb
DIG DEPTH: 25' 6"



Excavator

RATED POWER, NET: 379.5 hp @1800 rpm
OPERATING WEIGHT: 121804 lb
DIG DEPTH: 24' 0"



DX800LC-7 Crawler Excavator

RATED POWER, NET: 539.1 hp @2100 rpm
OPERATING WEIGHT: 179428 lb
DIG DEPTH: 27' 5"



DX1000LC-7 Crawler Excavator

RATED POWER, NET: 628.9 hp @2100 rpm
OPERATING WEIGHT: 221280 lb
DIG DEPTH: 28' 10"

Maquinarias palacargadora

I · J · M

DEVELON



DL200-7 W heel Loader

RATED POWER, NET: 142.1 hp @2000 rpm
OPERATING WEIGHT: 26559 lb
BUCKET CAPACITY: 2.6 yd³



DL200TC-7 W heel Loader

RATED POWER, NET: 142.1 hp @2000 rpm
OPERATING WEIGHT: 26867 lb
BUCKET CAPACITY: 2.6 yd³



DL220-7 W heel Loader

RATED POWER, NET: 159.6 hp @2100 rpm
OPERATING WEIGHT: 29099 lb
BUCKET CAPACITY: 3.0 yd³



DL250-7 W heel Loader

RATED POWER, NET: 171.6 hp @100 rpm
OPERATING WEIGHT: 30527 lb
BUCKET CAPACITY: 3.3 yd³



DL250TC-7 W heel Loader

RATED POWER, NET: 171.6 hp @100 rpm
OPERATING WEIGHT: 31605 lb
BUCKET CAPACITY: 3.3 yd³



DL280-7 W heel Loader

RATED POWER, NET: 189.1 hp @2000 rpm
OPERATING WEIGHT: 34550 lb
BUCKET CAPACITY: 3.7 yd³



DL320-7 W heel Loader

RATED POWER, NET: 270.9 hp @1800 rpm
OPERATING WEIGHT: 43572 lb
BUCKET CAPACITY: 4.6 yd³



DL380-7 W heel Loader

RATED POWER, NET: 270.9 hp @1800 rpm
OPERATING WEIGHT: 45022 lb
BUCKET CAPACITY: 5.1 yd³



DL420-7 W heel Loader

RATED POWER, NET: 344.6 hp @1800 rpm
OPERATING WEIGHT: 53413 lb
BUCKET CAPACITY: 5.5 yd³



DL480-7 W heel Loader

RATED POWER, NET: 344.6 hp @1800 rpm
OPERATING WEIGHT: 58354 lb
BUCKET CAPACITY: 6.3 yd³



DL550-7 W heel Loader

RATED POWER, NET: 379.5 hp @1800 rpm
OPERATING WEIGHT: 70598 lb
BUCKET CAPACITY: 6.8 yd³



DL580-7 W heel Loader

RATED POWER, NET: 394.3 hp @1800 rpm
OPERATING WEIGHT: 78673 lb
BUCKET CAPACITY: 8.4 yd³

Maquinarias minipala/excavadora

I · J · M

DEVELON



DX17Z-7 Mini Excavator

RATED POWER, NET: 16.0 hp @2400 rpm
OPERATING WEIGHT: 4211 lb
DIG DEPTH: 7' 3"



DX27Z-7 Mini Excavator

RATED POWER, NET: 24.0 hp @2200 rpm
OPERATING WEIGHT: 6173 lb
DIG DEPTH: 8' 8"



DX35Z-7 Mini Excavator

RATED POWER, NET: 24.7 hp @2200 rpm
OPERATING WEIGHT: 8807 lb
DIG DEPTH: 10' 8"



DX42-7 Mini Excavator

RATED POWER, NET: 47.1 hp @2200 rpm
OPERATING WEIGHT: 9877 lb
DIG DEPTH: 11' 5"



DX50Z-7 Mini Excavator

RATED POWER, NET: 47.1 hp @2200 rpm
OPERATING WEIGHT: 11971 lb
DIG DEPTH: 11' 5"



DX55R-7 Mini Excavator

RATED POWER, NET: 47.1 hp @2200 rpm
OPERATING WEIGHT: 12655 lb
DIG DEPTH: 11' 11"



DX62R-7 Mini Excavator

RATED POWER, NET: 57.5 hp @2300 rpm
OPERATING WEIGHT: 13704 lb
DIG DEPTH: 12' 5"



DX63-7 Mini Excavator

RATED POWER, NET: 57.5 hp @2300 rpm
OPERATING WEIGHT: 13708 lb
DIG DEPTH: 12' 5"



DX89R-7 Mini Excavator

RATED POWER, NET: 63.2 hp @2100 rpm
OPERATING WEIGHT: 21025 lb
DIG DEPTH: 13' 6"



DX100W -7 Mini Wheel Excavator

RATED POWER, NET: 100.6 hp @2000 rpm



DTL35 Compact Track Loader

HORSEPOWER (SAE J1349): 115.3 hp @ 2400 rpm
OPERATING WEIGHT: 12785 lb
RATED OPERATING CAPACITY: 3807 lb

Maq articulados/dozzer/manipuladores



DEVELON



DD100 XL Dozer

RATED POWER, NET: 115.3 hp (86 kW) @ 2200 rpm
OPERATING WEIGHT: 23589 lbs (10700 kg)
BLADE WIDTH: 9' 1"



DD100 LGP Dozer

RATED POWER, NET: 115.3 hp (86 kW) @ 2200 rpm
OPERATING WEIGHT: 24,286 lbs (11,016 kg)
BLADE WIDTH: 10' 9"



DD130 XL Dozer

RATED POWER, NET: 146.1 hp (108.9 kW) @ 2200 rpm
OPERATING WEIGHT: 30865 lbs (14009 kg)
BLADE WIDTH: 10' 2"



DD130 LGP Dozer

RATED POWER, NET: 146.1 hp (108.9 kW) @ 2200 rpm
OPERATING WEIGHT: 32,037 lbs (14,532 kg)
BLADE WIDTH: 11' 11.9"



DA30-5 Articulated Dump Truck

RATED POWER, NET: 362.1 hp @ 2100 rpm
RATED PAYLOAD: 61729 lb
BODY VOLUME: 22.0 yd³



DA45-5 Articulated Dump Truck

RATED POWER, NET: 482.8 hp @ 2100 rpm
RATED PAYLOAD: 89507 lb
BODY VOLUME: 31.9 yd³



DX210W MH-5 Material Handler

RATED POWER, NET: 186 hp @ 1900 rpm
REACH, GROUND: 35' 2"
LOADING HEIGHT: 31' 2"



DX225MH-5 Material Handler

RATED POWER, NET: 162 hp @ 1800 rpm
REACH, GROUND: 35' 5"
LOADING HEIGHT: 40' 0"



DX250W MH-5 Material Handler

RATED POWER, NET: 186 hp @ 2000 rpm
REACH, GROUND: 35' 1"
LOADING HEIGHT: 39' 8"



DX300MH-5 Material Handler

RATED POWER, NET: 267 hp @ 1800 rpm
REACH, GROUND: 42' 7"
LOADING HEIGHT: 46' 3"



MDT 430



MR 406



MR 406 SÉRIE II



MC 212



MC 209



MD 10



MD 04



MD 04C



MP 721



MP 927



VAP 70



VAP 55



VAP 55A



AP 26



AP 30



S750



C150H

- Capacidad de carga: 1500 kg
- Elevación máxima: 4000 mm



C151E

- Capacidad de carga: 1500 kg
- Elevación máxima: 4000 mm



C151H

- Capacidad de carga: 1500 kg
- Elevación máxima: 4000 mm



C201H

- Capacidad de carga: 2000 kg
- Elevación máxima: 5400 mm



C251H

- Capacidad de carga: 2500 kg
- Elevación máxima: 5450 mm



C351H

- Capacidad de carga: 3500 kg
- Elevación máxima: 5450 mm



C401H

- Capacidad de carga: 4000 kg
- Elevación máxima: 5450 mm



C501H

- Capacidad de carga: 5000 kg
- Elevación máxima: 5450 mm

Gruas FASSI

I · J · M

FASSI



FASSI F295A.2 hydraulic crane
HDS



FASSI MICRO hydraulic crane
HDS



FASSI F295RA.2 hydraulic
crane



FASSI F275RA.2 hydraulic
crane HDS



FASSI F275A.2 hydraulic crane
HDS



FASSI F275A.0 hydraulic crane
HDS



FASSI F255RA.2 hydraulic
crane HDS



FASSI F255A.2 hydraulic crane
HDS



FASSI F245A.0 hydraulic crane
HDS



FASSI F235RA.2 hydraulic
crane HDS



FASSI F235A.2 hydraulic crane
HDS



FASSI F235A.0 hydraulic crane
HDS



FASSI F215A.2 hydraulic crane
HDS



FASSI F215A.0 hydraulic crane
HDS



FASSI F195A.2 hydraulic crane
HDS



FASSI F195A.1 hydraulic crane
HDS



FASSI F195A.0 hydraulic crane
HDS



FASSI F185A.2 hydraulic crane
HDS



FASSI F185A.1 hydraulic crane
HDS



FASSI F175A.2 hydraulic crane
HDS



FASSI F175A.1 hydraulic crane
HDS



FASSI F175A.0 hydraulic crane
HDS



FASSI F165A.2 hydraulic crane
HDS



FASSI F165A.0 hydraulic crane
HDS



FASSI F160A.2 hydraulic crane
HDS



FASSI F155A.2 hydraulic crane
HDS



FASSI F155A.0 hydraulic crane
HDS



FASSI F150A.2 hydraulic crane
HDS

Gruas FASSI

I · J · M



FASSI F135A.2 hydraulic crane
HDS



FASSI F135A.0 hydraulic crane
HDS



FASSI F130A.0 hydraulic crane
HDS



FASSI F125A.2 hydraulic crane
HDS



FASSI F125A.1 hydraulic crane
HDS



FASSI F120B.2 hydraulic crane
HDS



FASSI F120B.1 hydraulic crane
HDS



FASSI F120B.0 hydraulic crane
HDS



FASSI F115A.0 hydraulic crane
HDS



FASSI F110B.2 hydraulic crane
HDS



FASSI F110B.1 hydraulic crane
HDS



FASSI F110B.0 hydraulic crane
HDS



FASSI F105B.0 hydraulic crane
HDS



FASSI F100B.2 hydraulic crane
HDS



FASSI F100B.1 hydraulic crane
HDS



FASSI F95B.0 hydraulic crane
HDS



FASSI F90B.2 hydraulic crane
HDS



FASSI F90B.1 hydraulic crane
HDS



FASSI F90B.0 hydraulic crane
HDS



FASSI F85B.2 hydraulic crane
HDS



FASSI F85B.1 hydraulic crane
HDS



FASSI F85B.0 hydraulic crane
HDS



FASSI F70B.1 hydraulic crane
HDS



FASSI F70B.0 hydraulic crane
HDS



FASSI F65B.1 hydraulic crane
HDS



FASSI F65B.0 hydraulic crane
HDS



FASSI F55A.0 hydraulic crane
HDS



FASSI F50A.0 hydraulic crane
HDS



Para más información ingresar en:
[@ijm_cc](http://www.corporationcoba.com)



I · J · M